

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
-<w:document>
  -<w:body>
    -<w:p>
      -<w:pPr>
        <w:pStyle w:val="Title"/>
      </w:pPr>
      -<w:r>
        <w:t xml:space="preserve">Sample</w:t>
      </w:r>
      -<w:r>
        <w:t xml:space="preserve"> </w:t>
      </w:r>
      -<w:r>
        <w:t xml:space="preserve">File</w:t>
      </w:r>
    </w:p>
    -<w:p>
      -<w:pPr>
        <w:pStyle w:val="Author"/>
      </w:pPr>
      -<w:r>
        <w:t xml:space="preserve">John</w:t>
      </w:r>
      -<w:r>
        <w:t xml:space="preserve"> </w:t>
      </w:r>
      -<w:r>
        <w:t xml:space="preserve">F.</w:t>
      </w:r>
      -<w:r>
        <w:t xml:space="preserve"> </w:t>
      </w:r>
      -<w:r>
        <w:t xml:space="preserve">Moore</w:t>
      </w:r>
    </w:p>
    -<w:p>
      -<w:pPr>
        <w:pStyle w:val="Date"/>
      </w:pPr>
      -<w:r>
        <w:t xml:space="preserve">April</w:t>
      </w:r>
      -<w:r>
```

```
    <w:t xml:space="preserve"> </w:t>
  </w:r>
-<w:r>
  <w:t xml:space="preserve">2022</w:t>
</w:r>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="Heading1"/>
  </w:pPr>
  <w:bookmarkStart w:id="20" w:name="heading-1"/>
-<w:r>
  <w:t xml:space="preserve">Heading 1</w:t>
</w:r>
  <w:bookmarkEnd w:id="20"/>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="Heading2"/>
  </w:pPr>
  <w:bookmarkStart w:id="21" w:name="heading-2"/>
-<w:r>
  <w:t xml:space="preserve">Heading 2</w:t>
</w:r>
  <w:bookmarkEnd w:id="21"/>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="Heading3"/>
  </w:pPr>
  <w:bookmarkStart w:id="22" w:name="heading-3"/>
-<w:r>
  <w:t xml:space="preserve">Heading 3</w:t>
</w:r>
  <w:bookmarkEnd w:id="22"/>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="FirstParagraph"/>
  </w:pPr>
  -<w:r>
    -<w:t xml:space="preserve">
      This is a paragraph of text. It is typed with a blank line before and
    </w:t>
  </w:r>
-<w:r>
  <w:t xml:space="preserve"> </w:t>
</w:r>
-<w:r>
```

```
    <w:t xml:space="preserve">after it. Nothing else is needed.</w:t>
  </w:r>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="BodyText"/>
  </w:pPr>
  -<w:r>
    -<w:t xml:space="preserve">
      This is a second paragraph. It is separated from the first paragraph
    </w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve"> </w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve">by a blank line.</w:t>
  </w:r>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="BodyText"/>
  </w:pPr>
  -<w:r>
    <w:t xml:space="preserve">Ordered List</w:t>
  </w:r>
</w:p>
-<w:p>
  -<w:pPr>
    -<w:numPr>
      <w:numId w:val="1001"/>
      <w:ilvl w:val="0"/>
    </w:numPr>
  </w:pPr>
  -<w:r>
    <w:t xml:space="preserve">First Item</w:t>
  </w:r>
</w:p>
-<w:p>
  -<w:pPr>
    -<w:numPr>
      <w:numId w:val="1001"/>
      <w:ilvl w:val="0"/>
    </w:numPr>
  </w:pPr>
  -<w:r>
    <w:t xml:space="preserve">Second Item</w:t>
  </w:r>
</w:p>
```

```
--<w:p>
--<w:pPr>
  <w:pStyle w:val="Compact"/>
  --<w:numPr>
    <w:numId w:val="1002"/>
    <w:ilvl w:val="0"/>
  </w:numPr>
</w:pPr>
--<w:r>
  <w:t xml:space="preserve">another first item.</w:t>
</w:r>
</w:p>
--<w:p>
--<w:pPr>
  <w:pStyle w:val="Compact"/>
  --<w:numPr>
    <w:numId w:val="1002"/>
    <w:ilvl w:val="0"/>
  </w:numPr>
</w:pPr>
--<w:r>
  <w:t xml:space="preserve">second item</w:t>
</w:r>
</w:p>
--<w:p>
--<w:pPr>
  <w:pStyle w:val="FirstParagraph"/>
</w:pPr>
--<w:r>
  <w:t xml:space="preserve">Bullet List</w:t>
</w:r>
</w:p>
--<w:p>
--<w:pPr>
  --<w:numPr>
    <w:numId w:val="1003"/>
    <w:ilvl w:val="0"/>
  </w:numPr>
</w:pPr>
--<w:r>
  <w:t xml:space="preserve">First item</w:t>
</w:r>
</w:p>
--<w:p>
--<w:pPr>
  <w:pStyle w:val="Compact"/>
  --<w:numPr>
    <w:numId w:val="1003"/>
    <w:ilvl w:val="0"/>
  </w:numPr>
```

```
    </w:numPr>
  </w:pPr>
- <w:r>
  <w:t xml:space="preserve">Second item</w:t>
</w:r>
</w:p>
- <w:p>
- <w:pPr>
  - <w:numPr>
    <w:numId w:val="1003"/>
    <w:ilvl w:val="0"/>
  </w:numPr>
</w:pPr>
- <w:r>
  <w:t xml:space="preserve">Third item</w:t>
</w:r>
</w:p>
- <w:p>
- <w:pPr>
  <w:pStyle w:val="FirstParagraph"/>
</w:pPr>
- <w:r>
  <w:t xml:space="preserve">Block Quote</w:t>
</w:r>
</w:p>
- <w:p>
- <w:pPr>
  <w:pStyle w:val="BlockText"/>
</w:pPr>
- <w:r>
  <w:t xml:space="preserve">First block quote</w:t>
</w:r>
- <w:r>
  <w:t xml:space="preserve"> </w:t>
</w:r>
- <w:r>
  <w:t xml:space="preserve">> Indented block quote</w:t>
</w:r>
</w:p>
- <w:p>
- <w:pPr>
  <w:pStyle w:val="SourceCode"/>
</w:pPr>
- <w:r>
  - <w:rPr>
    <w:rStyle w:val="VerbatimChar"/>
  </w:rPr>
  <w:t xml:space="preserve">Quoted item like code</w:t>
</w:r>
```

```
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="SourceCode"/>
  </w:pPr>
-<w:r>
  -<w:rPr>
    <w:rStyle w:val="VerbatimChar"/>
  </w:rPr>
  <w:t xml:space="preserve">( code Here )</w:t>
</w:r>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="FirstParagraph"/>
  </w:pPr>
-<w:r>
  <w:t xml:space="preserve">Table</w:t>
</w:r>
</w:p>
-<w:tbl>
  -<w:tblPr>
    <w:tblStyle w:val="Table"/>
    <w:tblW w:type="pct" w:w="0.0"/>
    <w:tblLook w:firstRow="1"/>
  </w:tblPr>
  <w:tblGrid/>
-<w:tr>
  -<w:trPr>
    <w:cnfStyle w:firstRow="1"/>
  </w:trPr>
  -<w:tc>
    -<w:tcPr>
      -<w:tcBorders>
        <w:bottom w:val="single"/>
      </w:tcBorders>
      <w:vAlign w:val="bottom"/>
    </w:tcPr>
  -<w:p>
    -<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="right"/>
    </w:pPr>
  -<w:r>
    <w:t xml:space="preserve">Right</w:t>
  </w:r>
</w:p>
</w:tc>
-<w:tc>
```

```
--<w:tcPr>
  --<w:tcBorders>
    <w:bottom w:val="single"/>
  </w:tcBorders>
  <w:vAlign w:val="bottom"/>
</w:tcPr>
--<w:p>
  --<w:pPr>
    <w:pStyle w:val="Compact"/>
    <w:jc w:val="left"/>
  </w:pPr>
  --<w:r>
    <w:t xml:space="preserve">Left</w:t>
  </w:r>
</w:p>
</w:tc>
--<w:tc>
  --<w:tcPr>
    --<w:tcBorders>
      <w:bottom w:val="single"/>
    </w:tcBorders>
    <w:vAlign w:val="bottom"/>
  </w:tcPr>
  --<w:p>
    --<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="center"/>
    </w:pPr>
    --<w:r>
      <w:t xml:space="preserve">Center</w:t>
    </w:r>
  </w:p>
</w:tc>
--<w:tc>
  --<w:tcPr>
    --<w:tcBorders>
      <w:bottom w:val="single"/>
    </w:tcBorders>
    <w:vAlign w:val="bottom"/>
  </w:tcPr>
  --<w:p>
    --<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="left"/>
    </w:pPr>
    --<w:r>
      <w:t xml:space="preserve">Default</w:t>
    </w:r>
  </w:p>
```

```
</w:tc>
</w:tr>
-<w:tr>
-<w:tc>
  -<w:p>
    -<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="right"/>
    </w:pPr>
    -<w:r>
      <w:t xml:space="preserve">12</w:t>
    </w:r>
  </w:p>
</w:tc>
-<w:tc>
  -<w:p>
    -<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="left"/>
    </w:pPr>
    -<w:r>
      <w:t xml:space="preserve">12</w:t>
    </w:r>
  </w:p>
</w:tc>
-<w:tc>
  -<w:p>
    -<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="center"/>
    </w:pPr>
    -<w:r>
      <w:t xml:space="preserve">12</w:t>
    </w:r>
  </w:p>
</w:tc>
-<w:tc>
  -<w:p>
    -<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="left"/>
    </w:pPr>
    -<w:r>
      <w:t xml:space="preserve">12</w:t>
    </w:r>
  </w:p>
</w:tc>
</w:tr>
-<w:tr>
```



```
--<w:tc>
  --<w:p>
    --<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="right"/>
    </w:pPr>
    --<w:r>
      <w:t xml:space="preserve">123</w:t>
    </w:r>
  </w:p>
</w:tc>
--<w:tc>
  --<w:p>
    --<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="left"/>
    </w:pPr>
    --<w:r>
      <w:t xml:space="preserve">123</w:t>
    </w:r>
  </w:p>
</w:tc>
--<w:tc>
  --<w:p>
    --<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="center"/>
    </w:pPr>
    --<w:r>
      <w:t xml:space="preserve">123</w:t>
    </w:r>
  </w:p>
</w:tc>
--<w:tc>
  --<w:p>
    --<w:pPr>
      <w:pStyle w:val="Compact"/>
      <w:jc w:val="left"/>
    </w:pPr>
    --<w:r>
      <w:t xml:space="preserve">123</w:t>
    </w:r>
  </w:p>
</w:tc>
--<w:tr>
  --<w:tc>
    --<w:p>
      --<w:pPr>
        <w:pStyle w:val="Compact"/>
        <w:jc w:val="left"/>
      </w:pPr>
      --<w:r>
        <w:t xml:space="preserve">123</w:t>
      </w:r>
    </w:p>
  </w:tc>
</w:tr>
--<w:tr>
  --<w:tc>
    --<w:p>
      --<w:pPr>
```

```
        <w:pStyle w:val="Compact"/>
        <w:jc w:val="right"/>
    </w:pPr>
    -<w:r>
        <w:t xml:space="preserve">1</w:t>
    </w:r>
</w:p>
</w:tc>
-<w:tc>
    -<w:p>
        -<w:pPr>
            <w:pStyle w:val="Compact"/>
            <w:jc w:val="left"/>
        </w:pPr>
    -<w:r>
        <w:t xml:space="preserve">1</w:t>
    </w:r>
</w:p>
</w:tc>
-<w:tc>
    -<w:p>
        -<w:pPr>
            <w:pStyle w:val="Compact"/>
            <w:jc w:val="center"/>
        </w:pPr>
    -<w:r>
        <w:t xml:space="preserve">1</w:t>
    </w:r>
</w:p>
</w:tc>
-<w:tc>
    -<w:p>
        -<w:pPr>
            <w:pStyle w:val="Compact"/>
            <w:jc w:val="left"/>
        </w:pPr>
    -<w:r>
        <w:t xml:space="preserve">1</w:t>
    </w:r>
</w:p>
</w:tc>
-<w:tc>
    -<w:p>
        -<w:pPr>
            <w:pStyle w:val="Compact"/>
            <w:jc w:val="left"/>
        </w:pPr>
    -<w:r>
        <w:t xml:space="preserve">1</w:t>
    </w:r>
</w:p>
</w:tr>
</w:tbl>
-<w:p>
    -<w:pPr>
        <w:pStyle w:val="BodyText"/>
    </w:pPr>
    -<w:r>
        <w:t xml:space="preserve">Horizontal Rule</w:t>
```

```
</w:r>
</w:p>
-<w:p>
  -<w:r>
    -<w:pict>
      <v:rect style="width:0;height:1.5pt" o:hralign="center" o:hrstd="t"
        o:hr="t"/>
    </w:pict>
  </w:r>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="FirstParagraph"/>
  </w:pPr>
  -<w:r>
    <w:t xml:space="preserve">This sentence contains</w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve"> </w:t>
  </w:r>
  -<w:r>
    -<w:rPr>
      <w:i/>
    </w:rPr>
    <w:t xml:space="preserve">Italics</w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve"> </w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve">and</w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve"> </w:t>
  </w:r>
  -<w:r>
    -<w:rPr>
      <w:b/>
    </w:rPr>
    <w:t xml:space="preserve">Bold Face</w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve">.</w:t>
  </w:r>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="BodyText"/>
  </w:pPr>
```

```

--<w:r>
  <w:t xml:space="preserve">Inline Link</w:t>
</w:r>
</w:p>
--<w:p>
--<w:pPr>
  <w:pStyle w:val="BodyText"/>
</w:pPr>
--<w:hyperlink r:id="rId23">
  --<w:r>
    --<w:rPr>
      <w:rStyle w:val="Hyperlink"/>
    </w:rPr>
    <w:t xml:space="preserve">Lions-Wing.net</w:t>
  </w:r>
</w:hyperlink>
</w:p>
--<w:p>
--<w:pPr>
  <w:pStyle w:val="CaptionedFigure"/>
</w:pPr>
--<w:r>
  --<w:drawing>
    --<wp:inline>
      <wp:extent cx="5334000" cy="6469025"/>
      <wp:effectExtent b="0" l="0" r="0" t="0"/>
      <wp:docPr descr="Linux Penguin" title="" id="1" name="Picture"/>
    --<a:graphic>
      --<a:graphicData uri="http://schemas.openxmlformats.org/drawingml/2006/picture">
        --<pic:pic>
          --<pic:nvPicPr>
            <pic:cNvPr descr="https://www.vhv.rs/dpng/d/409-4091864_linux-penguin-transparent-png-clipart-free-download-linux.png" id="0" name="Picture"/>
          --<pic:cNvPicPr>
            <a:picLocks noChangeArrowheads="1" noChangeAspect="1"/>
          </pic:cNvPicPr>
        </pic:nvPicPr>
      --<pic:blipFill>
        <a:blip r:embed="rId24"/>
      --<a:stretch>
        <a:fillRect/>
      </a:stretch>
    </pic:blipFill>
  --<pic:spPr bwMode="auto">
    --<a:xfrm>
      <a:off x="0" y="0"/>
    </a:xfrm>
  </pic:spPr>
    </wp:inline>
  </w:drawing>
</w:r>

```

```
        <a:ext cx="5334000" cy="6469025"/>
      </a:xfrm>
    -<a:prstGeom prst="rect">
      <a:avLst/>
    </a:prstGeom>
    <a:noFill/>
  -<a:ln w="9525">
    <a:noFill/>
    <a:headEnd/>
    <a:tailEnd/>
  </a:ln>
</pic:spPr>
</pic:pic>
</a:graphicData>
</a:graphic>
</wp:inline>
</w:drawing>
</w:r>
</w:p>
-<w:p>
  -<w:pPr>
    <w:pStyle w:val="ImageCaption"/>
  </w:pPr>
  -<w:r>
    <w:t xml:space="preserve">Linux</w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve"> </w:t>
  </w:r>
  -<w:r>
    <w:t xml:space="preserve">Penguin</w:t>
  </w:r>
</w:p>
<w:sectPr/>
</w:body>
</w:document>
```